

UP

- STAIRLIFT -

UP STAIRLIFT - NOW



RAIL

90-BEND WEDGE DESIGN

Powder-coated bends


Perfect match with extruded rails.

Strengthens bends

Particularly for 180-bends.

Reduces tolerance stacking up

Meaning no noise and increased smoothness.



Compatible

With existing rail and joint screws.
No more flex in the rails.



Reduced installation time

Easier installation with new bolts and nuts.

RAIL CHARGING CONTACT

New charging contacts

With jack plug.

Quick to assemble

Fix just one bolt and a jackplug.



TRANSPORT RAIL



Feet relocated

For easy unpacking.

Wood on both sides

To load on top or bottom easily.

CHAIR

SEATBELT SENSOR

Improved seat

Foldable seat edge now 4cm deeper and new upholstery supplier.

Active seat belt sensor

Standard on all lifts
(improves safety and prevents misuse).



OPTIONAL MAGNETIC KEY



Option to lock the lift

Controlled by the end-user,
this prevents unapproved and
improper use.



UNIT

OVERSPEED GOVERNOR TRACTION MOTOR (OSG)

One direction OSG
Easier to install.



SPINDLE SAFETY NUT LEVELING MOTOR



Secures the chair leveling system
Demand for the EN81-40 2020 certification.

BATTERY TRAY / COVER



Label optimization

Showing fused location and ground warning with high visibility for technicians. Label warning not to bypass fuse and supply wiring is labeled as well.

Efficient replacement

Main board easily slides in position. Cover screw mount offset, so no conflict with the spindle. Battery/board to be replaced in less than 15min.

Tray position improvement

Above spindle and tray back clearance from edge of main board when in position.

CHASSIS / CARRIAGE COVERS



Stronger stability

Stability with more precise sensor sensitivity.

Accessible and modern

More easily accessible for technicians. The design has more modern aesthetics and a lockable main switch is located at the back of the cover.

SOFTWARE CONFORMITY AND COMPLIANCE

EN81-40 2020
ASME A17.5-2019 /
CSA B44.1-19

ASME A18.1-2020 /
CSA B355-19
FDA Registered



LIFT SOFTWARE

Improved software


Swivel torque, software stability
wifi/voip communication and
drive through bends with auto
recovery.

Automatic

Automatic pilot based on seat
sensor and recovery in case of
software bug.

Temperature


Lowered minimum working
temperature to 0 degrees.



CONFIGURATOR APP

APP available worldwide

New layout to follow installation from top to bottom page. Built-in service and repair document for easy repair.



Improved wifi/voip communication





Straight lift detection and configuration



Clicking on error/warning opens the help page.

UP DATABASE



User friendly and faster



With a new layout and direct service report to DeV-Group by installer.

MEASURE

MOASURE MEASURING DEVICE (15MIN. DWG)

New features

To calculate the price for the end user, upload DWG, DXF, CSV and XML files and open previously made measurements.



EXTRA

SERVICE AND REPAIR BOX

Quick solution

Resolve most service needs in one trip and helps ensure minimal downtime for end user.


Article number: UP000055.



REMOTE CONTROL

Easier grip and app

Narrow design for easier grip and joystick requires less strength. Android cell phone app incl. lift diagnostic.



**WE WILL CHANGE
YOUR WAY UP**

UP
- STAIRLIFT -



1500 Independence Blvd., Suite 220
Sarasota, FL 34234
800-833-0478
www.harmar.com